



CO₂ SUPERCRITICAL HEAT PUMP

heatCO₂m

Water heat source



The MAYEKAWA heatCO₂m


is a heat pump system that generates hot water by recovering heat energy from any waste heat source. It uses CO₂, a natural refrigerant, instead of chemical refrigerants normally used in other heat pump systems.

The heatCO₂m is one of MAYEKAWA's contributions for the protection of the global environment. Producing heat with the heatCO₂m is clean & safe process, the energy losses by this system are kept to a minimum and no additional energy is needed to produce the heat which means there are no NO_x or CO₂ gases discharged into the atmosphere. The overall heatCO₂m CO₂ footprint is very small.

The heatCO₂m is best suited for medium to large scale facilities. It can efficiently produce high temperature hot water for both industrial and commercial use.

Per day the heatCO₂m has the capacity to produce up to 22000 L of hot water at an inlet temperature of 15 °C and an outlet temperature of 90 °C.

MAYEKAWA compressors are developed using MAYEKAWA's large knowledge and experience. The heatCO₂m is equipped with a very efficient high pressure reciprocating compressor designed for use with CO₂.



WEIGHT (kg)	WIDTH (mm)	LENGHT (mm)	HEIGHT (mm)
1060	1140	1293	1919

Range of Use

ITEM	UNIT	OPERATING CONDITION		
Heat Exchanger	-	Water heater	Water cooler	
Type	-	-	Brine Cooling	Water Cooling
Fluid	-	Water	Brine	Brine or Water
Inlet Temperature	°C	5 to 50 ¹⁾	-5 to 37	10 to 37
Outlet Temperature	°C	65 / 90	-9 to 32	5 to 32
Inlet Pressure	barG	1.5 to 4.9		
Flow Rate	L/min	8 to 35	100 to 300	

1) Upper limit of inlet temperature condition depends on flow rate of both water heat exchanger side and temperature condition

Performance Chart

65 °C HOT WATER SUPPLY TEMPERATURE							
Heat Source °C		Capacity (kW)	Inlet water Temperature				
Inlet	outlet		10 °C	15 °C	20 °C	25 °C	30 °C
37	32	Heating	119.7	115.8	-	-	-
		Cooling	103.5	94.5	-	-	-
		Power	22.6	23.2	-	-	-
22	17	Heating	104.4	101.2	98.0	94.0	-
		Cooling	82.5	78.5	74.8	69.8	-
		Power	24.0	24.8	25.6	26.4	-
12	7	Heating	87.5	84.8	81.9	78.7	75.5
		Cooling	66.5	63.2	59.7	56.1	52.4
		Power	22.9	23.5	24.1	24.7	25.2
-5	-9	Heating	51.4	49.9	48.0	46.3	-
		Cooling	35.0	33.4	31.6	29.7	-
		Power	17.8	17.9	18.0	18.1	-

90 °C HOT WATER SUPPLY TEMPERATURE							
Heat Source °C		Capacity (kW)	Inlet water Temperature				
Inlet	outlet		10 °C	20 °C	30 °C	40 °C	50 °C
37	32	Heating	110.0	103.0	95.0	82.7	60.6
		Cooling	86.2	79.5	71.0	58.8	36.6
		Power	25.7	25.8	25.9	26.0	26.1
22	17	Heating	97.7	92.3	85.8	77.1	65.9
		Cooling	72.6	67.0	60.2	51.7	40.1
		Power	27.5	27.6	27.7	27.8	27.9
12	7	Heating	83.2	78.6	72.8	65.9	-
		Cooling	59.9	55.1	49.3	42.1	-
		Power	25.4	25.5	25.6	25.7	-
-5	-9	Heating	52.2	48.8	44.8	-	-
		Cooling	35.6	28.2	28.2	-	-
		Power	18.0	18.3	18.3	-	-

*This unit has the upper limit of the amount of inlet water and the min. limit of chilled water to protect heat exchangers.

*The values above are simulation values when the difference temperature between inlet water and outlet water without the upper limit of the amount of inlet water.

WORLDWIDE

- 35 countries / 122 offices
- 8 production plants



Europe Organization

SWITZERLAND

Rosenbergstrasse 31, 6300 Zug
Tel. +41 41 726 8626
Fax +41 41 726 8620
<http://www.mayekawa.ch>
E-mail info@mayekawa.ch

SPAIN

Calle Montevideo 5, Nave 13
Pol. Industrial Camporroso
28806 Alcala de Henares, Madrid
Tel. +34 91 830 0392
Fax +34 91 830 0397
<http://www.mayekawa.es>
E-mail mayekawa@mayekawa.es

GERMANY

Munich Office

Untere Bahnhofstrasse 38a, 82110 Germering
Tel. +49 89 5527 989 0
Fax +49 89 5527 989 19

Hamburg Office

Weidestraße 122a, 22083 Hamburg
Tel. +49 40 27889149 0
Fax +49 40 27889149 9
E-mail info@mayekawa.de

FRANCE

East Branch Office

9, Rue Michael Faraday
78180 Montigny-Le-Bretonneux
Tel. +33 1 30 58 26 00
Fax +33 1 30 58 19 37

West Branch Office

6, Square des Pruniers
22400 Lamballe
Tel. +33 2 96 76 59 13
Fax +33 1 30 58 19 37
E-mail mayekawa.france@mayekawa.eu

UNITED KINGDOM

16 Oakhurst Gardens
DA7 5JP Bexleyheath, Kent
Tel. +44 1322 433558
Fax +44 1322 433164

RUSSIA

Office 228, Korovy Val St. 7
119049 Moscow
Tel. +7 499 230 01 76
Fax +7 499 230 21 12
<http://www.mayekawa.ru>
E-mail info@mayekawa.ru

BULGARIA

Kamen Andreev Str. 24, 1303 Sofia
Tel. +359 2 8910130
Fax +359 2 8910131

DUBAI

P.O.Box 61349, W-HOUSE No.RA-08-UC05
Jebel Ali Free Zone Dubai, UAE
Tel. +971-4-888-6363
Fax +971-4-888-6373

INDIA

Mayekawa India PVT. LTD.
309, Centrum Plaza, Golf Course Road
Sector-53, Gurgaon
Haryana
Tel. +91 124 4206611 16
Fax +91 124 4206618

AUSTRALIA

Unit 2,44 McCauley Street
NSW 2036 Matraville
Tel. +61 2 9695 7000
Fax +61 2 9695 7001
<http://www.mayekawa.com.au>
E-mail mycomaus@mayekawa.com.au

NEW ZEALAND

Unit 2, 30 Tui Street Otahuhu
Auckland
Tel. +68 9 276 2305
Fax +68 9 276 2306
E-mail info@mayekawa.co.nz

ITALY

Via Riccardo Lombardi 19/12
20153 Milano
Tel. +39 2 48929218
Fax +39 2 4531728

TURKEY

Dunya Ticaret Merkezi
A/2 Blok Kat:10 No:325 Yesilkoy, Istanbul
Tel. +90 212 465 36 31 34
Fax +90 212 465 36 35

JAPAN HEAD OFFICE

3-14-15 Botan Koto-ku
Tokyo 135 8482, JAPAN
Tel. 81 3 3642 8181
Fax 81 3 3643 7094
E-mail e-public@mayekawa.co.jp

MAYEKAWA Europe nv/sa

Leuvensesteenweg 605
1930 Zaventem - Belgium
Tel. +32 2 757 90 75
Fax +32 2 757 90 23
<http://www.mayekawa.eu>
E-mail info@mayekawa.eu